



TEST REPORT

Client: Gabriel
 Hjulmagervej 55
 Postbox 59
 DK-9100 Aalborg
 Denmark

Entry No: 103392A

Date received: 01/11/2018

Client's Description: 8 Fabric Samples Gaja Black 60999, Light Grey 60001, Dark Grey 60003, Light Brown N.C.61115, Green 68002, Orange Red N.C. 63066, Dark Red N.C. 64154

Test Required: Colour Fastness to Light.

Date Tests Completed: 10/12/2018

Colour Fastness to Light: BS EN ISO 105-B02: 2014 Method 2

A specimen was exposed together with Standard References numbers 1-8. By comparison with the standard references the grading was found to be:

	<u>BWS Rating</u>
68002	7
63066	7
61115	6-7
60001	6
60999	6-7
60003	6
64154	6-7

-----End of Document-----

Amended Report 103392A. This Report supersedes Test report 103392. Some of the results of the testing have been removed at the request of the client"

This is hereby certified to be a correct return of the tests made of the items referred to herein



Claire Saville
 Technologist
 23rd January 2019

- ❖ Unless instructed otherwise by the client sample remnants will be disposed of after 28 days.
 - ❖ Tests marked ^N in this certificate are not included in the UKAS Accreditation Schedule for this Laboratory.
 - ❖ Tests marked ^F in this certificate are performed under the Laboratory's Flexible Scope of Accreditation.
 - ❖ Tests marked ^S in this certificate have been subcontracted to another ISO17025 Accredited Laboratory.
 - ❖ Opinions and interpretations expressed herein are outside the scope of UKAS accreditation.
 - ❖ Uncertainty budgets for test methods contained within this report are available on request.
- This Certificate relates only to the sample received and, unless that sample has been drawn by the staff of this laboratory, or its agent, and endorsed accordingly, any application of the result to a bulk quantity or other material is entirely the responsibility of the client.

