

<b>Received:</b> 05/01/2019	<b>Completed:</b> 05/02/2019	<b>Letter:</b> V2	<b>RV</b>	<b>P.O.#:</b>	<b>Test Report #:</b> 3-32205-2-
<b>Client's Identification</b>	Style: 2506 Passion. Content: 91/9% New Zealand Wool / Polyamide. Weight: 515 g/lm. Color: 3101 Turquoise Brown. Product End Use: Upholstery.				
<b>Tested For:</b> <b>Bente Ellingsoe, Quality Department</b>	<b>Key Test:</b> ASTM D 4970/ACT			165	
Gabriel A/S Hjulmagervej 55 DK-9000 Aalborg, Denmark	<b>Tel:</b> 011-45-9630-3100		<b>Ext:</b>		
	<b>Fax:</b> 011-45-9811-6125				

Test Category: Martindale Pill      Specifier: ACT      LE 2018; V 01/19  
 PC: 4H      NTR 9/15      dl/SM

TEST PERFORMED: ASTM D 4970 - Standard Test Method for Pilling Resistance and Other Related Surface Changes of Textiles Fabrics: Martindale Pressure Tester Method

Face of test specimen rubbed against face of specimen of same fabric  
 Pressure: 0.44 psi

As cited by the ACT Voluntary Performance Guidelines (August 2018)

PRODUCT CATEGORY: Upholstery - Woven Fabric

ACCEPTANCE CRITERIA: Grade 3 minimum average.

RESULTS: Evaluation of pilling only

Specimen #	Rating
1	Grade 4.5
2	Grade 4.5
3	Grade 4.5
4	Grade 4.5
Avg:	Grade 4.5

EVALUATION: Evaluated using photographic standards and ASTM Light Box.

OBSERVATIONS:

Development of fuzzing observed:  No;  Yes  
 Color change observed:  No;  Yes  
 Loss of cover observed:  No;  Yes

REMARKS: None.

RATING SYSTEM:


- Grade 5 - No pilling
- Grade 4 - Slight pilling
- Grade 3 - Moderate pilling
- Grade 2 - Severe pilling
- Grade 1 - Very severe pilling

<b>Received:</b> 05/01/2019	<b>Completed:</b> 05/02/2019	<b>Letter:</b> V2	RV	<b>P.O.#:</b>	<b>Test Report #:</b> 3-32205-2-
<b>Client's Identification</b>	Style: 2506 Passion. Content: 91/9% New Zealand Wool / Polyamide. Weight: 515 g/lm. Color: 3101 Turquoise Brown. Product End Use: Upholstery.				
<b>Tested For:</b> <b>Bente Ellingsoe, Quality Department</b>	<b>Key Test:</b> ASTM D 4970/ACT			165	
Gabriel A/S Hjulgagervej 55 DK-9000 Aalborg, Denmark	<b>Tel:</b> 011-45-9630-3100		<b>Ext:</b>		
	<b>Fax:</b> 011-45-9811-6125				

CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested:

Complies;  Does not comply

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified above.



Phyllis Pettit

MAY 20 2019

-----  
 AUTHORIZED SIGNATURE  
 SGS GOVMARK  
 /jab /gb

(Page 2 of 2)